

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,67 Index

BURTON'S **Hill Top** **Nurseries**

U. S. Department of Agriculture

J. Howard Burton

CASSTOWN, OHIO

PHONE - CASSTOWN, OHIO 2425

1950 - 1951



WHOLESALE PRICE LIST

INDEX

| | |
|------------------------------------|---------|
| Evergreens (Field Grown) | 3 - 6 |
| Field Grown Shrubs | 7 - 14 |
| Shade Trees (Field Grown) | 15 - 18 |
| Balling Price Schedule | 19 |
| Field Grown Vines | 20 |
| Fruit Trees and Small Fruits | 21 |
| Globe Barberry | 24 |

Members of

American Association of Nurserymen
Ohio Nurserymen's Association
Michigan Nurserymen's Association
Indiana Nurserymen's Association

We ship by B & O., N. Y. C. or Penna. Railroads — by Truck Line Freight or Railway Express. We suggest that if possible you call for bulky shipments to speed delivery and conserve packing materials. Truck orders delivered by special arrangement to any point.

TERMS

This list cancels all previous lists. Prices are subject to change without notice.

Thirty days net to parties of approved credit established in advance of shipment. Discounts for cash in advance of shipment 3%; 2% for payment within 10 days; 30 days net. C.O.D. orders must be accompanied by $\frac{1}{4}$ cash deposit. Boxing and baling are charged for at near cost. Car loads and truck loads packed free. When cash accompanies order, boxing will be billed to those of established credit, otherwise boxing charges will be sent C.O.D. with shipment.

Five or more plants will be charged at the 10 rate, thirty or more at the 100 rate. Less than 5 will be charged 25% higher than the 10 rate. Any possible claims for rejection or deficiency must be made within 5 days after arrival of stock. All shipments travel at cost and risk of the purchaser.

FIELD GROWN EVERGREENS

| | Each Per 10 | Each Per C |
|---------------------------------------|----------------|---------------|
| Abies Concolor (White Fir) | | |
| 3 to 4 ft. ----- | \$ 7.00 | \$ |
| 4½ to 5 ft. ----- | 8.50 | |
| 12 to 15 ft. ----- | 25.00 | |
| Abies Balsamiae (Balsam Fir) | | |
| 2 to 2½ ft. ----- | 2.50 | |
| 2½ to 3 ft. ----- | 2.75 | |
| Arborvitae American Dark Green | | |
| 2½ to 3 ft. ----- | 3.00 | |
| 3 to 4 ft. ----- | 3.50 | |
| 4 to 4½ ft. ----- | 4.50 | |
| Arborvitae Elegantissima | | |
| 2½ to 3 ft. ----- | 3.00 | |
| 3 to 4 ft. ----- | 3.50 | |
| Arborvitae Little Gem | | |
| 2½ to 3 ft. ----- | 4.50 | |
| Arborvitae Pyramidalis | | |
| 2 to 3 ft. ----- | 2.50 | 2.00 |
| 3 to 4 ft. ----- | 3.50 | 3.25 |
| 4 to 4½ ft. ----- | 4.00 | 3.75 |
| 4½ to 5 ft. ----- | 5.00 | |
| Arborvitae rosenthal | | |
| 18 to 24 in. ----- | 2.75 | |
| 2 to 3 ft. ----- | 3.25 | |
| Arborvitae Woodwardi Globe | | |
| 12 to 15 in. ----- | 1.50 | |
| Biota aurea nana, | | |
| 15 to 18 in. ----- | 2.00 | 1.75 |
| 18 to 24 in. ----- | 2.25 | 2.00 |
| Biota Burtoni | | |
| 18 to 24 in. ----- | 2.00 | 1.75 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| 2½ to 3 ft. ----- | 2.75 | 2.50 |
| 3 to 4 ft. ----- | 3.25 | 3.00 |
| 5 to 6 ft. ----- | 6.00 | |
| 6 to 8 ft. ----- | 7.50 | |
| Biota Compacta (Green) | | |
| 18 to 24 in. ----- | 2.00 | 1.75 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| 2½ to 3 ft. ----- | 2.75 | 2.50 |
| Biota conspicta aurea | | |
| 18 to 24 in. ----- | 2.15 | 2.00 |
| 2 to 3 ft. ----- | 2.75 | 2.50 |
| 3 to 4 ft. ----- | 3.25 | 3.00 |
| 4 to 5 ft. ----- | 4.00 | 3.50 |
| Boxwood (Buxus sempervirens) | | |
| 18 to 20 in. ----- | 4.00 | |
| 20 to 24 in. ----- | 5.00 | |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Euonymus Patens | | |
| 15 to 18 in. (B&B) ----- | 1.75 | |
| 18 to 24 in. (B&B) ----- | 2.25 | |
| Hemlock (Tsuga Canadensis) | | |
| 3 to 4 ft. ----- | 4.75 | 4.50 |
| 4 to 4½ ft. ----- | 5.75 | 5.50 |
| 4½ to 5 ft. ----- | 6.50 | |
| 5 to 6 ft. ----- | 7.50 | |
| Juniper andorra | | |
| 15 to 18 in. ----- | 1.75 | |
| Juniper ch. Columnaris | | |
| 3½ to 4 ft. ----- | 4.75 | |
| 4 to 4½ ft. ----- | 5.50 | |
| Juniper ch. foemina | | |
| 2 to 3 ft. ----- | 3.50 | 3.00 |
| 3 to 4 ft. ----- | 4.25 | 4.00 |
| 4 to 5 ft. ----- | 4.75 | 4.50 |
| 5 to 6 ft. ----- | 5.50 | 5.00 |
| Juniper ch. Kettleri | | |
| 3 to 4 ft. ----- | 4.50 | |
| 4 to 4½ ft. ----- | 5.00 | |
| 10 to 12 ft. ----- | 17.00 | |
| Juniper ch. Pfitzeriana | | |
| 15 to 18 in. ----- | 2.00 | |
| 18 to 24 in. ----- | 2.50 | |
| 2 to 2½ ft. ----- | 3.50 | |
| 2½ to 3 ft. ----- | 4.00 | |
| 3 to 3½ ft. ----- | 4.50 | |
| Juniper ch. Pfitzeriana aurea, | | |
| 6 to 7 ft. ----- | 6.50 | |
| Juniper ch. Pfitzeriana compacta, | | |
| 15 to 18 in. ----- | 2.50 | 2.25 |
| 18 to 24 in. ----- | 3.00 | 2.75 |
| 2 to 2½ ft. ----- | 3.50 | |
| Juniper ch. Sargenti (Blue) | | |
| 15 to 18 in. ----- | 2.50 | 2.25 |
| 18 to 24 in. ----- | 3.25 | 3.00 |
| 2 to 3 ft. ----- | 3.75 | |
| 3 to 4 ft. ----- | 4.50 | |
| Juniper communis spreading | | |
| 18 to 24 in. ----- | 2.00 | |
| 2 to 2½ ft. ----- | 2.75 | |
| Juniper communis vase type | | |
| 18 to 24 in. ----- | 2.25 | 2.00 |
| 2 to 2½ ft. ----- | 2.50 | 2.25 |
| Juniper communis hibernica fastigata (Compact Irish) | | |
| 2 to 2½ ft. ----- | 2.00 | |
| Juniper conferta, (Bright Green, creeping shore Juniper), | | |
| 3 to 4 ft. ----- | 3.75 | |
| 4 to 5 ft. ----- | 4.50 | |
| Juniper cracovica (Polish) | | |
| 4½ to 5 ft. ----- | 2.50 | |
| 5 to 6 ft. ----- | 3.50 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Juniper excelsa stricta | | |
| 15 to 18 in. ----- | 2.00 | 1.75 |
| 18 to 24 in. ----- | 2.40 | 2.15 |
| 2 to 3 ft. ----- | 3.00 | 2.75 |
| Juniper Japonica | | |
| (Hillbush Dark Green) | | |
| 15 to 18 in. ----- | 2.00 | |
| 18 to 24 in. ----- | 2.50 | |
| Juniper procumbens | | |
| 15 to 18 in. ----- | 2.25 | |
| Juniper Sabina Von Ehron | | |
| 18 to 24 in. ----- | 2.25 | |
| 2 to 2½ ft. ----- | 2.75 | |
| Juniper virginiana Burkei | | |
| 3 to 4 ft. ----- | 4.50 | |
| 4 to 5 ft. ----- | 6.00 | 5.50 |
| 8 to 10 ft. ----- | 15.00 | |
| 10 to 12 ft. ----- | 18.00 | |
| Juniper virginiana Cannarti | | |
| 3 to 4 ft. ----- | 4.50 | |
| 4 to 5 ft. ----- | 5.50 | 5.00 |
| 8 to 10 ft. ----- | 17.00 | |
| 10 to 12 ft. ----- | 18.00 | |
| 12 to 15 ft. ----- | 22.00 | |
| Juniper virginiana Dundee | | |
| 2½ to 3 ft. ----- | 3.75 | |
| 3 to 4 ft. ----- | 4.50 | |
| 4 to 4½ ft. ----- | 5.50 | 5.00 |
| Juniper virgiana Globosa | | |
| 15 to 18 in. ----- | 2.75 | |
| 18 to 24 in. ----- | 3.75 | |
| 2 to 2½ ft. ----- | 4.50 | |
| Juniper virginiana Pyramidalis | | |
| 2 to 2½ ft. ----- | 2.25 | |
| 2½ to 3 ft. ----- | 2.75 | |
| 3 to 4 ft. ----- | 3.00 | |
| 4 to 5 ft. ----- | 4.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| Mahonia aquifolia | | |
| 15 to 18 in. ----- | 2.50 | |
| 18 to 24 in. ----- | 3.00 | |
| Pinus montana mughus | | |
| 15 to 18 in. ----- | 2.50 | |
| 18 to 24 in. ----- | 3.00 | |
| 2 to 2½ ft. ----- | 3.75 | |
| Pinus strobus (White Pine) | | |
| 5 to 6 ft. ----- | 5.00 | |
| 6 to 8 ft. ----- | 6.50 | |
| 8 to 10 ft. ----- | 10.00 | |
| 10 to 12 ft. ----- | 12.00 | |
| 12 to 15 ft. ----- | 18.00 | |
| Pinus resinosa (Norway or Red Pine) | | |
| 6 to 8 ft. ----- | 10.00 | |
| Pinus tabulaeformis | | |
| (Jap table pine), | | |
| 3 to 4 ft. ----- | 5.75 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Pseudotsuga Douglasi (Douglas Fir) | | |
| 18 to 24 in. ----- | 2.00 | 1.50 |
| 2 to 3 ft. ----- | 3.00 | 2.50 |
| 3 to 4 ft. ----- | 4.00 | 3.50 |
| 4 to 5 ft. ----- | 5.00 | 4.50 |
| Spruce, Black Hill | | |
| 18 to 24 in. ----- | 2.50 | |
| 2 to 2½ ft. ----- | 2.75 | |
| 2½ to 3 ft. ----- | 3.00 | |
| 3 to 3½ ft. ----- | 3.75 | |
| 3½ to 4 ft. ----- | 4.25 | |
| 4 to 5 ft. ----- | 5.50 | |
| 5 to 6 ft. ----- | 6.50 | |
| 6 to 7 ft. ----- | 7.00 | |
| Spruce, Morheim and Ksters (True grafted specimens) | | |
| 4 to 5 ft. ----- | 20.00 | |
| 5 to 6 ft. ----- | 27.50 | |
| 6 to 7 ft. ----- | 35.00 | |
| 7 to 8 ft. ----- | 37.50 | |
| Spruce, Norway | | |
| 3 to 4 ft. ----- | 3.00 | |
| 4 to 5 ft. ----- | 4.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| 6 to 7 ft. ----- | 6.00 | |
| 7 to 8 ft. ----- | 8.00 | |
| Spruce, Serbian | | |
| 2½ to 3 ft. ----- | 3.50 | 3.25 |
| 3 to 4 ft. ----- | 4.50 | 4.00 |
| Taxus Andersoni | | |
| 15 to 18 in. ----- | 3.50 | |
| 18 to 24 in. ----- | 4.50 | |
| Taxus Browni | | |
| 15 to 18 in. ----- | 3.75 | |
| 18 to 24 in. ----- | 4.75 | |
| Taxus Cuspidata, | | |
| 15 to 18 in. ----- | 3.50 | |
| 18 to 24 in. ----- | 4.50 | |
| 2 to 2½ ft. ----- | 5.50 | |
| Taxus Capitata | | |
| 2½ to 3 ft. ----- | 7.50 | |
| 3 to 3½ ft. ----- | 9.00 | |
| 3½ to 4 ft. ----- | 12.50 | |
| 6 to 7 ft. ----- | 50.00 | |
| Taxus Hicksi | | |
| 15 to 18 in. ----- | 3.50 | |
| 18 to 24 in. ----- | 4.50 | |
| 2 to 2½ ft. ----- | 5.50 | |
| 2½ to 3 ft. ----- | 6.50 | |
| Taxus Hunnewelliana | | |
| 15 to 18 in. ----- | 3.75 | |
| 18 to 24 in. ----- | 4.75 | |
| Taxus Repandens | | |
| 18 to 24 in. ----- | 4.90 | |
| 2 to 2½ ft. ----- | 5.50 | |

FIELD GROWN SHRUBS

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Acanthopanax, (<i>Aralia pentaphylla</i>) | | |
| 18 to 24 in. ----- | .30 | .25 |
| 2 to 3 ft. ----- | .38 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .48 | .45 |
| 5 to 6 ft. ----- | .65 | .60 |
| (We will quote thousand rates) | | |
| Almond, Pink (Own Root) | | |
| 12 to 18 in. ----- | .30 | |
| Althaea, Dbl. Red, Blue, White | | |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .50 | .45 |
| 4 to 5 ft. ----- | .60 | .55 |
| Amelanchier canadensis | | |
| 2 to 3 ft. ----- | .60 | |
| 3 to 4 ft. ----- | .70 | |
| Aralia spinosa, | | |
| 4 to 6 ft. ----- | .70 | |
| Aronia arbutifolia, | | |
| 3 to 4 ft. ----- | .60 | |
| 4 to 5 ft. ----- | .75 | |
| 5 to 6 ft. specimens ----- | 1.00 | |
| Aronia brilliantissima, | | |
| 18 to 24 in. ----- | .45 | |
| 2 to 3 ft. ----- | .55 | |
| 3 to 4 ft. ----- | .65 | |
| Aronia melanocarpa, | | |
| 18 to 24 in. ----- | .30 | .28 |
| 2 to 3 ft. ----- | .40 | .35 |
| 3 to 4 ft. ----- | .45 | .40 |

Barberry, Globe - Plant Pat. No. 189

A low, slow growing and compact type of the well known hardy Barberry. Its compact, tight growth makes a trim appearance without shearing.

| | | |
|--------------------|-----|-----|
| 4 to 6 in. ----- | .30 | .25 |
| 6 to 9 in. ----- | .35 | .30 |
| 9 to 12 in. ----- | .45 | .40 |
| 12 to 15 in. ----- | .55 | .50 |
| 15 to 18 in. ----- | .65 | .60 |
| 18 to 24 in. ----- | .75 | .70 |

| Barberry Thunbergi | Per 10 | Per C | Per M |
|--------------------|--------|-------|-------|
| 12 to 15 in. ----- | .20 | .15 | .12 |
| 15 to 18 in. ----- | .22 | .20 | .18 |
| 18 to 24 in. ----- | .30 | .25 | .22 |
| 2 to 2½ ft. ----- | .40 | .30 | |

| | Each Per 10 | Each Per C |
|---------------------------------|----------------|---------------|
| Barberry Thunbergi atropurpurea | | |
| 12 to 15 in. ----- | .25 | .20 |
| 15 to 18 in. ----- | .35 | .28 |
| 18 to 24 in. ----- | .40 | .35 |

| | | |
|------------------|-----|-----|
| Barberry, Korean | | |
| 3 to 4 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .50 | .45 |

| | | |
|--|------|--|
| Bottlebush Buckeye (<i>Aesculus Parviflora</i>) | | |
| 18 to 24 in. ----- | 2.25 | |

| | | |
|----------------------------|-----|--|
| Buddleia Burtoni, (Purple) | | |
| 3 to 4 ft. ----- | .25 | |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Buddleia Ile de France (White) | | |
| 3 to 4 ft. ----- | .25 | |
| Callicarpa Purpurea (Chinese Beauty Berry) | | |
| 2 to 3 ft. ----- | .50 | .45 |
| 3 to 4 ft. ----- | .55 | 50 |
| Calycanthus | | |
| 12 to 18 in. ----- | .30 | .25 |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .50 | |
| Cercis canadensis (Red Bud) | | |
| 3 to 4 ft. ----- | .90 | .80 |
| 4 to 5 ft. ----- | 1.50 | 1.25 |
| 5 to 6 ft. ----- | 2.00 | 1.75 |
| 6 to 7 ft. ----- | 2.50 | |
| Chioanthus virginica (White Fringe) | | |
| 4 to 5 ft. ----- | 1.25 | 1.10 |
| 5 to 6 ft. ----- | 1.75 | 1.50 |
| 6 to 8 ft. ----- | 2.25 | |
| 8 to 10 ft. ----- | 2.75 | |
| Cornus alternifolia | | |
| 8 to 10 ft. ----- | 1.50 | |
| Cornus Kousa | | |
| 4 to 5 ft. ----- | 3.00 | |
| 8 to 10 ft. ----- | 5.00 | |
| Cornus lutea (Yellow bark cornus), | | |
| 3 to 4 ft. ----- | .50 | |
| Cornus mascula (European Dogwood) | | |
| 7 to 8 ft. ----- | 1.75 | |
| 8 to 10 ft. ----- | 2.00 | |
| 10 to 12 ft. ----- | 2.50 | |
| Cornus paniculata (Gray Dogwood) | | |
| 2 to 3 ft. ----- | .40 | |
| 3 to 4 ft. ----- | .50 | |
| 4 to 5 ft. ----- | .70 | |
| Corylus Americana (American Filbert) | | |
| 3 to 4 ft. ----- | .60 | |
| 4 to 5 ft. ----- | .70 | |
| Corylus atropurpurea, (Purple leaf Filbert) | | |
| 18 to 24 in. ----- | 1.75 | |
| 2 to 3 ft. ----- | 2.00 | |
| 3 to 4 ft. ----- | 2.75 | |
| Corylus avellana (European Filbert) | | |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .55 | .50 |
| 4 to 5 ft. ----- | .60 | |
| 5 to 6 ft. ----- | .75 | |
| 6 to 8 ft. ----- | .90 | |
| Cotoneaster Divaricata | | |
| 18 to 24 in. ----- B&B ----- | 1.25 | 1.00 |
| 2 to 3 ft. ----- B&B ----- | 1.50 | 1.25 |
| 3 to 4 ft. ----- B&B ----- | 2.00 | 1.75 |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Cotoneaster foveolata (Large black fruit) | | |
| 2 to 3 ft. ----- | .60 | |
| 3 to 4 ft. ----- | .70 | |
| 4 to 5 ft. ----- | .80 | |
| Cotoneaster Hupehensis | | |
| 3 to 4 ft. ----- | 1.50 | |
| 5 to 6 ft. ----- | 2.00 | |
| Cydonia japonica (Upright) | | |
| 12 to 18 in. ----- | .25 | |
| 18 to 24 in. ----- | .35 | |
| Cydonia Pygmaea (Pink Dwf. Flw. Quince) | | |
| 12 to 18 in. ----- | .30 | .25 |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .45 | .40 |
| Desmodium Bicolor (Lespedeza) | | |
| 2 to 3 ft. ----- | .35 | .30 |
| 3 to 4 ft. ----- | .45 | .40 |
| Deutzia gracillis | | |
| 10 to 12 in. 2 yr. ----- | .40 | |
| Deutzia magnifica | | |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .50 | .45 |
| 4 to 5 ft. ----- | .60 | .50 |
| Eleagnus Angustifolia | | |
| 3 to 4 ft. ----- | .50 | |
| 4 to 5 ft. ----- | .60 | |
| Eleagnus argentia | | |
| 6 to 8 ft. ----- | 1.00 | .90 |
| Euonymus Americana | | |
| 18 to 24 in. ----- | .45 | .40 |

Euonymus Burtoni

A compact growing form of Euonymus Europaeus grown from cuttings. It never exceeds six feet in height with us and bears an amazingly heavy and dependable crop of orange red fruits each fall. The deep green foliage retains its vigor later than most other shrubs and for that reason alone is very outstanding.

| | |
|--------------------|------|
| 18 to 24 in. ----- | .75 |
| 2 to 3 ft. ----- | .90 |
| 3 to 4 ft. ----- | 1.00 |
| 4 to 5 ft. ----- | 1.50 |

Euonymus Europaeus

| | |
|------------------|-----|
| 2 to 3 ft. ----- | .50 |
| 3 to 4 ft. ----- | .60 |

Euonymus yedoensis

| | | |
|--------------------|------|------|
| 18 to 24 in. ----- | .35 | .30 |
| 2 to 3 ft. ----- | .45 | .40 |
| 4 to 5 ft. ----- | .65 | |
| 5 to 6 ft. ----- | .75 | .70 |
| 6 to 8 ft. ----- | 1.15 | 1.00 |

Exochorda grandiflora

| | | |
|------------------|-----|-----|
| (Pearl Bush), | | |
| 4 to 5 ft. ----- | .55 | |
| 5 to 6 ft. ----- | .65 | .60 |

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Fontanesia fortunei (An upright narrow shrub) | | |
| 18 to 24 in. ----- | .18 | .15 |
| 2 to 3 ft. ----- | .30 | .25 |
| 3 to 4 ft. ----- | .35 | .30 |
| 4 to 5 ft. ----- | .40 | .35 |
| Forsythia primulina | | |
| 2 to 3 ft. ----- | .30 | .25 |
| 3 to 4 ft. ----- | .40 | .35 |
| Forsythia Dwarf | | |
| 18 to 24 in. ----- | .35 | .30 |
| Forsythia spectabilis | | |
| 2 to 3 ft. ----- | .25 | .20 |
| 3 to 4 ft. ----- | .35 | .30 |
| 4 to 5 ft. ----- | .40 | .35 |
| 5 to 6 ft. ----- | .45 | .40 |
| Halesia Tetraptera | | |
| 5 to 6 ft. ----- | 1.50 | |
| Hamamelis virginiana | | |
| 3 to 4 ft. ----- | .55 | |
| 4 to 5 ft. ----- | .75 | .70 |
| 5 to 6 ft. ----- | .90 | .85 |
| Hydrangea A. G. | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .50 | .45 |
| 3 to 4 ft. ----- | .60 | .55 |
| Hydrangea P. G. | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .50 | .45 |
| Hypericum Patulum | | |
| 8 to 12 in. ----- | .40 | .35 |
| Hypericum prolificum | | |
| 18 to 24 in. ----- | .45 | .40 |
| 2 to 3 ft. ----- | .50 | .45 |
| Ilex nudum | | |
| 6 to 8 ft. ----- | 2.50 | |
| Kolkwitzia amabilis (Beauty Bush) | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .50 | .45 |
| Lilac, French Hybrids | | |
| 18 to 24 in. ----- | .60 | |
| 2 to 3 ft. ----- | .85 | |
| 3 to 4 ft. ----- | 1.15 | |
| Lilac rothomagensis (Pink) | | |
| 2 to 3 ft. ----- | .75 | |
| 3 to 4 ft. ----- | 1.00 | |
| Lilac Villosa, (Late blooming purple lilac) | | |
| 12 to 18 in. ----- | .35 | |
| 18 to 24 in. ----- | .45 | |
| 4 to 5 ft. ----- | .60 | .55 |
| 5 to 6 ft. ----- | .70 | .65 |
| 6 to 8 ft. ----- | .80 | .75 |
| Lilac Vulgaris (Common Purple) | | |
| 18 to 24 in. ----- | .40 | .35 |
| 2 to 3 ft. ----- | .50 | .45 |
| Lonicera Fragrantissima, | | |
| 18 to 24 in. ----- | .35 | .30 |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .50 | .45 |

| | Each Per 10 | Each Per C | |
|--|----------------|---------------|---------------|
| Lonicera Maacki | | | |
| 3 to 4 ft. ----- | .45 | .40 | |
| 4 to 5 ft. ----- | .50 | .45 | |
| 5 to 6 ft. ----- | .60 | .55 | |
| Lonicera Syringantha Wolfi | | | |
| 2 to 3 ft. ----- | .50 | | |
| Lonicera Zabeli (Red) | | | |
| 2 to 3 ft. ----- | .35 | .30 | |
| 4 to 5 ft. ----- | .50 | .45 | |
| 5 to 6 ft. ----- | .55 | .50 | |
| Magnolia glauca (Virginiana) B&B | | | |
| 2 to 3 ft. ----- | 2.75 | | |
| 3 to 4 ft. ----- | 3.50 | | |
| 4 to 5 ft. ----- | 5.00 | | |
| 6 to 8 ft. ----- | 8.00 | | |
| Magnolia Lennei, B&B | | | |
| 3 to 4 ft. ----- | 6.00 | | |
| 4 to 5 ft. ----- | 7.00 | | |
| Magnolia Nigra, B&B | | | |
| 3 to 4 ft. ----- | 5.00 | | |
| 4 to 4½ ft. ----- | 6.00 | | |
| Magnolia Soulangeana B&B | | | |
| 2 to 3 ft. ----- | 4.00 | | |
| 3 to 4 ft. ----- | 5.00 | | |
| 4 to 5 ft. ----- | 6.00 | | |
| Oxydendron arboreum | | | |
| 2 to 3 ft. ----- | .50 | | |
| 3 to 4 ft. ----- | .65 | | |
| Philadelphus coronarius | | | |
| 18 to 24 in. ----- | .30 | .25 | |
| 2 to 3 ft. ----- | .35 | .30 | |
| 3 to 4 ft. ----- | .45 | .40 | |
| 4 to 5 ft. ----- | .55 | .50 | |
| Philadelphus grandiflora | | | |
| 4 to 5 ft. ----- | .50 | | |
| 5 to 6 ft. ----- | .60 | | |
| Philadelphus virginal (Dbl. Mock Orange) | | | |
| 18 to 24 in. ----- | .40 | .35 | |
| 2 to 3 ft. ----- | .50 | .45 | |
| 3 to 4 ft. ----- | .60 | .55 | |
| Physocarpus opulifolia | | | |
| 2 to 3 ft. ----- | .30 | | |
| 3 to 4 ft. ----- | .40 | | |
| Physocarpus monogynus Dwarf Ninebark | | | |
| 15 to 18 in. ----- | .25 | .20 | |
| 3 to 4 ft. ----- | .50 | | |
| | Each Per 10 | Each Per C | Each Per M |
| Privet, Amoor River North | | | |
| 12 to 18 in. 1 yr. ----- | .10 | .08 | .07 |
| 18 to 24 in. 2 yr. ----- | .15 | .10 | .08 |
| Privet, California | | | |
| 12 to 18 in., 1 yr. ----- | .06 | .05 | |
| 18 to 24 in., 1 yr. ----- | .07½ | .07 | |
| 2 to 3 ft. ----- | .08½ | .08 | |

| | Each Per 10 | Each Per C | Each Per M |
|--|----------------|----------------|---------------|
| Privet, Golden Vicary | | | |
| 10 to 12 in. ----- | .35 | .30 | |
| 12 to 15 in. ----- | .40 | .35 | |
| Privet, Iboleum | | | |
| 12 to 18 in., 1 yr. ----- | .10 | .08 | .07 |
| 18 to 24 in., 1 yr. ----- | .15 | .10 | .08 |
| 2 to 3 ft. ----- | .18 | .12½ | .10 |
| 3 to 4 ft. ----- | .20 | .16 | .12½ |
| 4 to 5 ft. ----- | .30 | .25 | |
| Prunus Cistina | | | |
| 18 to 24 in. ----- | .55 | | |
| 2 to 3 ft. ----- | .70 | | |
| 3 to 4 ft. ----- | .85 | | |
| Prunus Tomentosum | | | |
| 2 to 3 ft. ----- | .50 | .45 | |
| Prunus Triloba | | | |
| 2 to 3 ft. ----- | .50 | | |
| Rhamnus Chadwicki | | | |
| "New large black glossy fruited buckthorn." | | | |
| 12 to 18 in. ----- | .20 | .18 | |
| 18 to 24 in. ----- | .35 | .30 | |
| 2 to 3 ft. ----- | .40 | .35 | |
| 3 to 4 ft. ----- | .45 | .40 | |
| Rhodotyphos kerroides | | | |
| 18 to 24 in. ----- | .40 | | |
| 2 to 3 ft. ----- | .50 | .45 | |
| Rhus cotinus coggygria (Smoke Tree) | | | |
| 18 to 24 in. ----- | .35 | .30 | |
| 2 to 3 ft. ----- | .45 | .40 | |
| 6 to 8 ft. clumps ----- | 1.25 | | |
| Rhus Glabra or Rhus Typhina | | | |
| 4 to 5 ft. ----- | .25 | .20 | |
| 5 to 6 ft. ----- | .30 | .25 | |
| Robinia hispida (Rosa acacia) | | | |
| 18 to 24 in. ----- | .35 | .30 | |
| Robinia Kelseyi, own root (Pink Locust) | | | |
| 5 to 7 ft. ----- | .75 | .70 | |
| | | Each Per 10 | Each Per C |
| Rosa carolinensis | | | |
| 18 to 24 in. ----- | | .35 | .30 |
| 2 to 3 ft. ----- | | .45 | .40 |
| Rosa hugonis | | | |
| 18 to 24 in. ----- | | .35 | |
| Shepherdia canadensis (Silverberry) | | | |
| 3 to 4 ft. ----- | | .50 | .40 |
| 4 to 5 ft. ----- | | .60 | |
| Spirea Anthony Watereri | | | |
| 12 to 15 in. ----- | | .35 | .30 |
| Spirea Arguta | | | |
| 18 to 24 in. ----- | | .30 | |
| 2 to 3 ft. ----- | | .40 | .35 |
| 3 to 4 ft. ----- | | .45 | .40 |
| Spirea Billardi | | | |
| 2 to 3 ft. ----- | | .30 | .27 |
| 3 to 4 ft. ----- | | .35 | .30 |

| | | | |
|---|--------|-------|-------|
| | Each | Each | |
| | Per 10 | Per C | |
| Spirea Froebeli | | | |
| 15 to 18 in. ----- | .30 | | .28 |
| 18 to 24 in. ----- | .40 | | .35 |
| 2 to 3 ft. ----- | .50 | | .45 |
| Spirea multiflora | | | |
| 18 to 24 in. ----- | .45 | | |
| 2 to 3 ft. ----- | .50 | | |
| Spirea Tricarpa (Korean Spirea) | | | |
| 4 to 5 ft. ----- | .40 | | |
| 5 to 6 ft. ----- | .50 | | |
| Spirea Van Houttei | | | |
| 2 to 3 ft. ----- | .30 | | .25 |
| 3 to 4 ft. ----- | .35 | | .30 |
| 4 to 5 ft. ----- | .45 | | .40 |
| Stephanandra Flexosa | | | |
| 3 to 4 ft. ----- | .75 | | |
| | Each | Each | Each |
| | Per 10 | Per C | Per M |
| Symphoricarpos chenaulti | | | |
| 2 to 3 ft. ----- | .35 | .30 | .25 |
| 3 to 4 ft. ----- | .40 | .35 | |
| Symphoricarpos Racemosa (White Snowberry) | | | |
| 3 to 4 ft. ----- | .40 | | |
| Symphoricarpos vulgaris | | | |
| 18 to 24 in. ----- | .20 | .18 | |
| 2 to 3 ft. ----- | .25 | .22 | .18 |
| | Each | Each | |
| | Per 10 | Per C | |
| Tamarix Africana, | | | |
| 2 to 3 ft. ----- | .30 | | .25 |
| 3 to 4 ft. ----- | .35 | | .30 |
| 4 to 5 ft. ----- | .45 | | |
| 5 to 6 ft. ----- | .50 | | |
| Tamarix hispida (Blue foliage) | | | |
| 2 to 3 ft. ----- | .35 | | .30 |
| 3 to 4 ft. ----- | .40 | | .35 |
| 4 to 5 ft. ----- | .50 | | .45 |
| 5 to 6 ft. ----- | .60 | | |
| Viburnum Xanthocarpum (Yellow fruited Viburnum opulus) | | | |
| 2 to 3 ft. ----- | 1.75 | | |
| 3 to 4 ft. ----- | 2.00 | | |
| Viburnum Burkwoodi | | | |
| 12 to 18 in. Bare root ----- | 1.25 | | 1.00 |
| 18 to 24 in. ---- B&B ----- | 2.00 | | 1.75 |
| 2 to 3 ft. ---- B&B ----- | 3.00 | | |
| Viburnum cassinoides, | | | |
| 4 to 5 ft. (Heavy specimens)----- | 1.50 | | |
| Viburnum dentatum, | | | |
| 2 to 3 ft. ----- | .40 | | .30 |
| 3 to 4 ft. ----- | .45 | | .40 |
| 4 to 5 ft. ----- | .50 | | .45 |
| 5 to 6 ft. ----- | .60 | | .55 |
| 6 to 7 ft. ----- | .65 | | .60 |
| Viburnum Dilitatum | | | |
| 18 to 24 in. ----- | .60 | | .50 |
| 2 to 3 ft. ----- | .80 | | |
| Viburnum lantana | | | |
| 18 to 24 in. ----- | .35 | | |
| 2 to 3 ft. ----- | .50 | | |
| 4 to 5 ft. ----- | .65 | | |
| 5 to 6 ft. ----- | .75 | | |

| | Each Per 10 | Each Per C |
|-------------------------------------|----------------|---------------|
| Viburnum lentago | | |
| 4 to 5 ft. ----- | .60 | .50 |
| 5 to 6 ft. ----- | .65 | .60 |
| 6 to 7 ft. ----- | .75 | .70 |
| 7 to 8 ft. ----- | .85 | .80 |
| Viburnum Molle | | |
| 2 to 3 ft. ----- | .45 | .40 |
| 3 to 4 ft. ----- | .50 | .45 |
| 4 to 5 ft. ----- | .55 | .50 |
| 5 to 6 ft. ----- | .65 | .60 |
| 6 to 7 ft. ----- | .70 | |
| 7 to 8 ft. ----- | .90 | |
| Viburnum prunifolium | | |
| 5 to 6 ft. ----- | 1.10 | 1.00 |
| 6 to 7 ft. ----- | 1.25 | 1.15 |
| 7 to 8 ft. ----- | 1.50 | |
| Viburnum Tomentosum Plicatum | | |
| 18 to 24 in. ----- | .55 | .50 |
| 2 to 3 ft. ----- | .65 | .60 |
| Viburnum Sieboldi | | |
| 18 to 24 in. ----- | .60 | |
| 2 to 3 ft. ----- | .75 | |
| Viburnum Tomentosum | | |
| 18 to 24 in. ----- | .45 | .40 |
| 2 to 3 ft. ----- | .60 | .50 |
| Vitex Macrophylla | | |
| 18 to 24 in. ----- | .45 | .40 |
| 2 to 3 ft. ----- | .50 | .45 |
| Weigela abel carrierei | | |
| 3 to 4 ft. ----- | .50 | |
| Weigela Eva Rathke | | |
| 18 to 24 in. ----- | .45 | .40 |
| 2 to 3 ft. ----- | .55 | .50 |
| 3 to 4 ft. ----- | .70 | |
| Weigela lutea | | |
| 2 to 3 ft. ----- | .50 | |
| Weigela Rosea | | |
| 2 to 3 ft. ----- | .42 | .35 |
| 3 to 4 ft. ----- | .48 | .45 |
| Wistaria (bush form) | | |
| 3 yr., Pink, White, Purple | | |
| 3 to 4 ft. ----- | 1.00 | |
| 4 to 5 ft. ----- | 1.50 | |
| Tree Peony Clumps | | |
| Mixed varieties, 10 yr. ----- | 5.00 | |

We have many heavy specimen shrubs which are especially desirable for landscape use. All are well grown and full.

FIELD GROWN SHADE TREES

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Aesculus Oct. (Ohio Buckeye) | | |
| 6 to 8 ft. ----- | \$ 3.50 | \$ 3.00 |
| 8 to 10 ft. ----- | 4.50 | |
| Aesculus pavia (Red Flw. Buckeye) | | |
| 3 to 4 ft. ----- | 3.00 | |
| 4 to 5 ft. ----- | 4.00 | |
| 5 to 6 ft. ----- | 5.00 | |
| 6 to 8 ft. ----- | 7.00 | |
| Ash, American - White - Green | | |
| 8 to 10 ft. ----- | 2.00 | |
| 1¼ to 1½ in. cal. ----- | 2.25 | |
| 1½ to 1¾ in. cal. ----- | 3.00 | |
| 1¾ to 2 in. cal. ----- | 3.75 | |
| 2 to 2½ in. cal. ----- | 4.25 | |
| Birch, Cutleaf Weeping | | |
| 4 to 5 ft. ----- | 2.00 | |
| 6 to 8 ft. ----- | 3.00 | |
| Carpinus betulus, (European hornbeam, branched to the ground), | | |
| 8 to 10 ft. (Specimen) B&B-- | 8.50 | |
| 3 to 4 in. Cal. -----B&B-- | 12.00 | |
| Cherry, Dbl. Pink Flowering (Kwanzan) | | |
| 3 to 4 ft. ----- | 1.75 | |
| 5 to 6 ft. ----- | 2.50 | |
| Cercis canadensis (Red Bud) | | |
| 3 to 4 ft. ----- | 1.25 | 1.10 |
| 5 to 6 ft. ----- | 1.50 | 1.25 |
| 6 to 8 ft. ----- | 2.25 | |
| 8 to 10 ft. ----- | 2.75 | |
| Cornus alternifolia | | |
| 8 to 10 ft. ----- | 1.75 | |
| Cornus florida, (White Dogwood), B&B | | |
| 3 to 4 ft. ----- | 2.50 | |
| 4 to 5 ft. ----- | 3.25 | |
| Crataegus arnoldiana (Hawthorne), | | |
| 8 to 10 ft. ----- | 4.00 | |
| Crataegus cordata, | | |
| 8 to 10 ft. ----- | 6.00 | |
| Crataegus crusgalli, | | |
| 7 to 8 ft. ----- | 4.50 | |
| 8 to 10 ft. ----- | 6.00 | |
| Crataegus mollis | | |
| 5 to 6 ft. ----- | 3.00 | 2.75 |
| 6 to 8 ft. ----- | 4.00 | 3.75 |
| 8 to 10 ft. ----- | 5.00 | 4.75 |
| Crataegus oxycantha Pauli (Paul's Scarlet Hawthorne) | | |
| 4 to 5 ft. ----- | 2.25 | |
| 5 to 6 ft. ----- | 3.00 | |
| Elm, American | | |
| 1¼ to 1½ in. cal. ----- | 1.50 | |
| 1½ to 1¾ in. cal. ----- | 2.00 | 1.75 |
| 1¾ to 2 in. cal. ----- | 2.25 | 2.00 |
| 2 to 2½ in. cal. ----- | 3.50 | 3.00 |
| 2½ to 3 in. cal. ----- | 5.50 | 5.00 |
| 3 to 3½ in. cal. ----- | 7.00 | 6.00 |

| | Each Per 10 | Each Per C |
|---|----------------|---------------|
| Ginkgo Biloba | | |
| 6 to 8 ft. ----- | 2.75 | |
| 8 to 10 ft. ----- | 3.00 | |
| Gleditsia triacanthos inermis | | |
| 5 to 6 ft. ----- | 1.50 | |
| 6 to 8 ft. ----- | 2.25 | |
| 8 to 10 ft. ----- | 3.00 | 2.75 |
| Gymnocladus dioica (Kentucky Coffee tree) | | |
| 4 to 5 ft. ----- | 1.00 | .90 |
| 5 to 6 ft. ----- | 1.25 | 1.10 |
| 6 to 8 ft. ----- | 2.50 | 2.00 |
| 8 to 10 ft. (1½ to 2" cal.) --- | 3.00 | 2.75 |
| Laburnum Vossei | | |
| 6 to 7 ft. ----- | 3.50 | |
| Linden, American | | |
| 1½ to 1¾ in. cal., 10 to 12 ft. | 3.00 | 2.75 |
| 1¾ in. to 2 in. cal., 11 to 13 ft. | 4.00 | 3.75 |
| 2 to 2½ in. cal., 12 to 15 ft. -- | 5.00 | 4.75 |
| 2½ to 3 in. cal., 15 to 16 ft. -- | 6.00 | 5.75 |
| Linden, European Little Leaf | | |
| 2 to 2½ in. cal. ----- | 3.75 | |
| 2½ to 3 in. cal. ----- | 4.75 | |
| Liriodendron tulipifera (Tulip tree) | | |
| 5 to 6 ft. ----- | 1.75 | |
| 6 to 8 ft. ----- | 2.25 | |

FLOWERING CRABAPPLES

Flowering Crabapples in Specimen Plants.
These can be balled and burlapped if desired, see balling schedule.

Asiatic Flowering Crabapples:

Malus Aldenhamensis

" *Eleyei*

" Silver Red

" *Spectabilis*

" *Floribunda*

2 to 3 ft., 2 yr. ----- .70

3 to 4 ft., 2 yr. ----- .80

4 to 5 ft. ----- 1.25

5 to 6 ft. ----- 1.50

6 to 8 ft. ----- 3.00

8 to 10 ft. ----- 4.50

(Caliper will run from 2 to 3 in.
These are well branched specimens)

Magnolia glauca (Virginiana) B&B

2 to 3 ft. ----- 2.75

3 to 4 ft. ----- 3.50

4 to 5 ft. ----- 5.00

6 to 8 ft. ----- 8.00

Magnolia Lennei, B&B

2 to 3 ft. ----- 4.50

3 to 4 ft. ----- 5.50

4 to 5 ft. ----- 6.50

Magnolia Nigra, B&B

2 to 3 ft. ----- 3.50

3 to 4 ft. ----- 4.50

4 to 4½ ft. ----- 5.50

| | Each Per 10 | Each Per C |
|--|----------------|---------------|
| Magnolia Soulangeana, B&B | | |
| 2 to 3 ft. ----- | 3.50 | |
| 3 to 4 ft. ----- | 4.50 | |
| 4 to 5 ft. ----- | 5.50 | |
| Maple, Acer Rubrum | | |
| 6 to 8 ft. ----- | 2.75 | |
| 8 to 10 ft. ----- | 3.00 | |
| 1¼ to 1½ in. cal. ----- | 3.50 | |
| 1½ to 1¾ in. cal. ----- | 4.50 | |
| 1¾ to 2 in. cal. ----- | 5.50 | |
| 2 to 2½ in. cal. ----- | 6.50 | |
| Maple, Norway | | |
| 6 to 8 ft. branched ----- | 2.25 | |
| 8 to 10 ft. ----- | 2.50 | 2.35 |
| 1¼ to 1½ in. cal. ----- | 3.75 | |
| 1½ to 2 in. cal. ----- | 4.50 | 4.25 |
| 2 to 2½ in. cal. ----- | 6.00 | |
| 2½ to 3 in. cal. ----- | 8.00 | |
| Maple, Norway pyramidal | | |
| 1½ to 1¾ in. cal. ----- | 4.50 | |
| 1¾ to 2 in. cal. ----- | 5.50 | |
| 2 to 2½ in. cal. ----- | 7.25 | |
| 2½ to 3 in. cal. ----- | 9.00 | |
| Maple, Schwedleri | | |
| 6 to 8 ft. lightly branched --- | 2.75 | |
| Maple, Silver | | |
| 6 to 8 ft. ----- | 1.15 | 1.00 |
| 8 to 10 ft. ----- | 1.50 | 1.25 |
| 10 to 12 ft., 1½ to 1¾ in. cal. -- | 2.25 | 2.00 |
| (Also an assortment of larger sizes up to 5 and 6 inches) | | |
| Maple, Sugar | | |
| 8 to 10 ft. ----- | 3.50 | |
| 10 to 12 ft. ----- | 4.50 | |
| 1½ to 2 in. ----- | 5.50 | |
| Oak, Black | | |
| 3 to 3½ in. cal. ----- | 10.00 | |
| 3½ to 4 in. cal. ----- | 12.50 | |
| 4 to 5 ft. ----- | 15.00 | |
| Oak, English (Robur) | | |
| 2 to 2½ in. cal. - | | |
| 12 to 15 ft. ----- | 5.50 | 5.00 |
| 2½ to 3 in. cal. ----- | 8.00 | 7.50 |
| 3 to 4 in. cal. ----- | 10.00 | 9.50 |
| 4 to 5 in. cal. ----- | 18.00 | 15.00 |
| Oak, Shingle (Quercus Imbricaria) (A rare and valuable tree) | | |
| 5 to 6 ft. ----- | 3.50 | |
| 6 to 8 ft. ----- | 5.00 | |
| Oak, macrocarpa (Burr Oak) | | |
| 1½ to 2 in. cal. ----- | 4.00 | |
| 2 to 2½ in. cal. ----- | 5.00 | |
| 2½ to 2¾ in. cal. ----- | 7.00 | |
| Oak, Pin (Large sizes only) | | |

| | Each Per 10 | Each Per C |
|-------------------------|----------------|---------------|
| Oak, Red (Rubra) | | |
| 6 to 8 ft. ----- | 2.25 | |
| 1½ to 1½ in. cal. ----- | 4.00 | 3.75 |
| 1½ to 1¾ in. cal. ----- | 4.50 | 4.00 |
| 1¾ to 2 in. cal. ----- | 5.50 | 5.00 |
| 2 to 2½ in. cal. ----- | 7.50 | 7.00 |
| 2½ to 3 in. cal. ----- | 10.00 | |
| 3 to 4 in. cal. ----- | 15.00 | |

| | | |
|------------------------|-------|--|
| Oak, White (Alba) | | |
| 2 to 2½ in. cal. ----- | 5.00 | |
| 2½ to 3 in. cal. ----- | 8.00 | |
| 3 to 4 in. cal. ----- | 10.00 | |

Phellodendron amurense

(Cork Tree)

| | | |
|--------------------|------|--|
| 10 to 12 ft. ----- | 3.25 | |
|--------------------|------|--|

Robinia Slaveni (Own root),

(Pink flw. locust, largest flowers)

A small tree growing up to fifteen feet tall, bearing pink flowers. They make an excellent standard tree without being grafted. All these are on their own roots.

| | | |
|-------------------|------|------|
| 6 to 8 ft. ----- | 2.00 | 1.75 |
| 8 to 10 ft. ----- | 3.00 | 2.50 |

Sycamore, American

| | | |
|-------------------|------|------|
| 6 to 8 ft. ----- | 2.00 | 1.75 |
| 8 to 10 ft. ----- | 2.50 | 2.25 |

Willow, Weeping Golden

| | | |
|------------------|------|--|
| 6 to 8 ft. ----- | 1.50 | |
|------------------|------|--|

BALLING SCHEDULE

The following schedule shows the approximate sizes required for various grades of deciduous shrubs and trees. However, any size designated by the purchaser will be used and charged for accordingly. Weights are approximate.

These prices are only additional for material listed bare root and do not apply to evergreens and other material priced B&B.

SHRUBS AND FLOWERING TREES

| Ball Size | Lbs. Wt | Plant Size | Each Per 10 | Each Per C |
|-----------|---------|-------------------|-------------|------------|
| 10 in. | 30 | 1½ to 2 ft. ----- | .50 | .40 |
| 12 in. | 45 | 2 to 3 ft. ----- | .60 | .50 |
| 13 in. | 55 | 3 to 4 ft. ----- | .75 | .60 |
| 15 in. | 85 | 4 to 5 ft. ----- | 1.00 | .85 |
| 16 in. | 105 | 5 to 6 ft. ----- | 1.35 | 1.25 |
| 18 in. | 150 | 6 to 7 ft. ----- | 2.25 | 2.00 |
| 20 in. | 200 | 7 to 8 ft. ----- | 3.50 | 3.25 |
| 22 in. | 260 | 8 to 10 ft. ----- | 5.00 | 4.50 |

STANDARD SHADE TREES

| | | | | |
|--------|------|--------------------|-------|-------|
| 20 in. | 200 | 1¼ to 1½ in. ----- | 3.50 | 3.25 |
| 22 in. | 260 | 1½ to 1¾ in. ----- | 5.00 | 4.50 |
| 24 in. | 325 | 1¾ to 2 in. ----- | 6.00 | 5.50 |
| 28 in. | 400 | 2 to 2½ in. ----- | 8.00 | 7.00 |
| 30 in. | 650 | 2½ to 3 in. ----- | 10.00 | 9.00 |
| 36 in. | 1025 | 3 to 4 in. ----- | 16.00 | 15.00 |
| 42 in. | 1600 | 4 to 5 in. ----- | 22.00 | 20.00 |

FIELD GROWN VINES

| | Each Per 10 | Each Per C | Each Per M |
|--|----------------|---------------|---------------|
| <i>Ampelopsis veitchi</i> (<i>Parthenocissus tricuspidata veitchi</i>) | | | |
| 2 yr. No. 1 ----- | .35 | .30 | |
| <i>Celastrus orbiculatus</i> , and <i>scandens</i> (Oriental and American Bittersweet) | | | |
| 2 yr. No. 1 ----- | .20 | | |
| 3 yr. ----- | .25 | | |
| <i>Clematis</i> , large flowered varieties Mme Andre (Red) Mme. B. Veillard (Carmine) Jackmani (Purple) | | | |
| 2 yr. Medium ----- | .55 | .50 | |
| <i>Clematis paniculata</i> | | | |
| 2 yr. No. 1 ----- | .40 | .35 | |
| <i>Euonymus colorata</i> (For ground cover) | | | |
| 8 to 12 in. T., 1 yr. ----- | | .08 | .07½ |
| 12 to 15 in. T., 1 yr. ----- | | .10 | .09 |
| 8 to 12 in., 2 yr. T. ----- | | .10 | .09 |
| 12 to 18 in., 2 yr. T. ----- | | .15 | .12½ |
| 18 to 24 in., 2 yr. T. ----- | | .18 | .15 |
| <i>Euonymus radicans</i> (True small leaf type) | | | |
| 4 to 6 in. T., 1 yr. ----- | | .10 | |
| 6 to 8 in., 2 yr. ----- | | .18 | |
| 8 to 12 in., 2 yr. T. ----- | | .25 | |
| 12 to 15 in. ----- | | .35 | |
| <i>Euonymus vegetus</i> | | | |
| 2 yr. ----- | | .75 | |
| <i>Hedera Helix</i> (English Ivy) Large leaf or small leaf Pot grown ----- | .15 | .12 | .10 |
| <i>Lonicera Heckrotti</i> | | | |
| 2 yr. ----- | .35 | .30 | |
| 3 yr. ----- | .45 | .40 | |
| <i>Lonicera japonica Halliana</i> , 2 yr. #1 ----- | .20 | .15 | .12½ |
| <i>Polygonum Auberti</i> 2 yr. #1 ----- | .40 | .30 | |
| <i>Vinca Minor</i> ----- | | .10 | .07½ |
| <i>Wistaria chinensis</i> White and Purple (Own root from flowering wood) | | | |
| 3 yr. ----- | .75 | | |
| 2 yr. ----- | .50 | | |

FRUIT TREES AND SMALL FRUIT

| | Per 10 | Per C | |
|--|---------|-------------|--|
| Apple - 5-in-1 ----- | \$ 1.50 | ea. | |
| The following five varieties on 2 yr. stem - Yellow Transparent, Grimes Golden, Red De- licious, Stayman Winesap, Jonathon. | | | |
| Apple, 2 yr. | | | |
| 11/16" ----- | 7.00 | 50.00 | |
| 9/16" ----- | 5.00 | 40.00 | |
| 7/16" ----- | 3.50 | 30.00 | |
| Baldwin, Golden Delicious, Grimes Golden, Jonathon, Yellow Transparent, Lodi, Red Delicious, Rome Beauty, Stayman Winesap, Wealthy. | | | |
| Cherry, 2 yr. | | | |
| 11/16" ----- | 10.00 | 90.00 | |
| 9/16" ----- | 8.00 | 75.00 | |
| Early Richmond and Montmorency (Add .20¢ ea. for Sweet Cherry) | | | |
| Plum, 2 yr. on Plum Roots | | | |
| 11/16" ----- | 9.00 | 85.00 | |
| 9/16" ----- | 7.50 | | |
| 7/16" ----- | 5.00 | | |
| (Bradshaw, German Plum, Abundance, Burbank, and Lombard) | | | |
| Pear, 2 yr. | | | |
| 11/16" ----- | 9.00 | 85.00 | |
| 9/16" ----- | 8.00 | 75.00 | |
| 7/16" ----- | 6.00 | 55.00 | |
| Bartlett, Dutchess, Kiefer and Sheldon | | | |
| Dwarf Pear ----- | 10.00 | | |
| | Per 10 | Per C Per M | |
| Asparagus, 2 yr. ----- | .60 | 3.00 | |
| Rhubarb Divisions (McDonald) ----- | 3.50 | 30.00 | |
| Currants, 2 yr. #1 | | | |
| Red Lake ----- | 2.00 | 18.00 | |
| Gooseberries, 2 yr. #1 | | | |
| Downing ----- | 3.00 | | |
| Grapes, 2 yr. #1 | | | |
| Concord ----- | 2.00 | | |
| Niagara, Moore's Early Caco, Portland, Fredonia ----- | 2.50 | 18.00 | |
| Raspberries, #1 Tip Plants | | | |
| Cumberland (Black) - | | 4.50 | |
| Latham (Red) ----- | | 6.50 | |

NOTES

(See our Blue List of Lining Stock)

GLOBE BARBERRY

(Plant Patent No. 189)

(*Berberis thunbergi nana*)

See Prof. Chadwick's Select List of Shrubs



Ordinary Barberry



Berberis nana
(Natural Shape)

This is a low, slow growing and compact sport of the well known hardy Barberry. It's compact, tight growth makes a trim appearance without shearing. This plant never gets out of hand as do common Barberry plants and the foliage is better than that of the parent and it has the same kind and color fruits. Its appearance is somewhat like that of a dwarf Holly or Azalea. It is undoubtedly the best permanently dwarf deciduous plant for low hedges and borders because of its dwarfness, hardiness and general permanence.

This is the first time this plant has been offered for sale. Due to its slow growth the purchaser is assured of maintenance of the present price schedule. It is suggested that as large sizes cannot well be shipped these grades be planted out for growth on as specimens.

WHOLESALE PRICES

| | 10 Rate | 100 Rate | 1000 Rate |
|--------------------|---------|----------|-----------|
| 4 to 6 in. ----- | .30 | .25 | .20 |
| 6 to 9 in. ----- | .35 | .30 | .25 |
| 9 to 12 in. ----- | .45 | .40 | .35 |
| 12 to 15 in. ----- | .55 | .50 | .45 |
| 15 to 18 in. ----- | .65 | .60 | |

SUGGESTED MINIMUM RETAIL PRICES

| | Each | Dozen | Per C |
|--------------------|------|-------|--------|
| 4 to 6 in. ----- | .60 | 6.00 | 45.00 |
| 6 to 9 in. ----- | .75 | 7.50 | 55.00 |
| 9 to 12 in. ----- | 1.00 | 10.00 | 70.00 |
| 12 to 15 in. ----- | 1.25 | 12.50 | 100.00 |